



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF DOWNY MILDEW IN NURSERY STOCK (NON-FOOD)**

PERMIT NUMBER – PER90235

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 17 SEPTEMBER 2021 TO 30 SEPTEMBER 2024

Permit Holder:

GREENLIFE INDUSTRY AUSTRALIA LIMITED
c/o AGAWARE CONSULTING PTY LTD
21 Rosella Avenue
STRATHFIELDSAYE VIC 3551

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

ZAMPRO FUNGICIDE (APVMA No. 63651)

PLUS OTHER REGISTERED PRODUCTS Containing: 300 g/L AMETOCTRADIN and 225 g/L DIMETHOMORPH as the only active constituents.

RESTRAINT:

DO NOT apply by aircraft.

Comply with all Spray Drift restraints on the product label.

DO NOT allow bystanders to come into contact with the spray cloud.

Directions for Use:

Situation	Disease	Rate
Nursery stock (non-food) – seedlings, tubes and plugs, potted colour, trees and shrubs, foliage plants, palms and grasses, and fruiting plants (non-bearing)	Downy Mildew (<i>Bremia</i> spp., <i>Peronospora</i> spp., <i>Plasmopara</i> spp. and <i>Pseudoperonospora</i> spp.)	80 mL/100 L
Cut flowers Ornamentals		or 800 mL/ha

Critical Use Comments:

- Apply when conditions favour disease development but before the disease is evident.
- Apply as a foliar spray by ground-based hydraulic spray equipment, backpack sprayer or equivalent.
- Use sufficient spray volume to ensure thorough coverage of all foliage and stems.
- DO NOT apply more than 2 applications per crop.
- DO NOT apply less than 7 - 14 days after the initial treatment. Use the shorter interval when conditions favour high risk infection or when rapid growth of target plant requires protection of new growth.
- DO NOT apply foliar treatment if rainfall is expected before the spray is dry.
- DO NOT use on crops intended for food use.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

To Avoid Crop Damage

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

Re-entry

Public: DO NOT allow entry into treated areas until the spray has dried.

Safety Directions

Harmful if swallowed. When opening the container, preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). Wash hands after use. After each day's use, wash contaminated clothing.

Issued by the Australian Pesticides and Veterinary Medicines Authority