



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW EMERGENCY USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF FALL ARMYWORM IN SWEET CORN**

PERMIT NUMBER – PER90374

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 17 NOVEMBER 2020 TO 30 NOVEMBER 2023

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 7, 141 Walker Street
NORTH SYDNEY NSW 20260

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

AVATAR EVO INSECTICIDE (APVMA No. 86106)

Containing: 303 g/kg INDOXACARB (95:1) (equivalent to 300 g/kg active S-isomer) as the only active constituent.

RESTRAINT:

DO NOT apply if rain is expected within 2 hours of application, or if heavy dew is present on crops.

Comply with all spray drift restraints and mandatory no-spray zones for the protection of the aquatic environment and for the protection of land potentially producing feed for livestock on the product label.

Directions for Use:

Crop	Pest	Rate
Sweet Corn	Fall Armyworm (<i>Spodoptera frugiperda</i>)	250 g/ha

Critical Use Comments:

- Regularly scout crops to monitor for eggs and larvae. Target sprays against eggs and newly hatched larvae (prior to third instar stage) before they become entrenched.
- Best results are achieved when product is used prior to the start of silking (vegetative – early tasseling). Larvae present within the silks or cobs at the time of spraying will not be controlled.
- Apply by ground boomspray or aircraft.
- Use a minimum spray volume of 100 L/ha for ground application and 30 L/ha for aerial application.
- DO NOT apply more than 3 applications per crop.
- DO NOT apply less than 7 days after the previous treatment.
- Use a non-ionic surfactant/wetting agent at 15 g active/100L.
- Comply with the 'Precautions' and 'Protections' statements on the product label.
- Refer to the Insecticide Resistance Management (IRM) on the product label to prevent or delay the development of insecticide resistance.

Withholding Period:

Harvest: Do not harvest for 3 days after application.

Grazing: Do not graze or cut for stock food for 3 days after application.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

Export of treated produce

Maximum Residue Limits (MRLs) have been established to allow treated produce to be used for human and/or animal consumption. MRLs have been established for INDOXACARB in SWEET CORN (CORN-ON-THE-COB), SWEET CORN FODDER and SWEET CORN FORAGE. MRLs can be found in the *Agricultural and Veterinary Chemicals Code (MRL Standard) Instrument 2019*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority