



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL  
PRODUCT FOR CONTROL OF GRASS WEEDS IN LINSEED**

**PERMIT NUMBER – PER90767**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 11 AUGUST 2021 TO 30 SEPTEMBER 2029**

**Permit Holder:**

AUSTRALIAN OILSEEDS FEDERATION INC  
30 Coronga Crescent  
KILLARA NSW 2071

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### Products to be used:

SELECT 240 HERBICIDE (APVMA No. 51144)

PLUS OTHER REGISTERED PRODUCTS

Containing: 240 g/L CLETHODIM as the only active constituent.

SELECT XTRA HERBICIDE (APVMA No. 65513)

PLUS OTHER REGISTERED PRODUCTS

Containing: 360 g/L CLETHODIM as the only active constituent.

### RESTRAINT:

DO NOT apply without the addition of an adjuvant.

DO NOT apply to plants that are stressed by moisture or temperature extremes.

DO NOT apply if rain is expected within one hour of application.

DO NOT apply more than once to any one crop.

### Spray drift restraints

Specific definitions for terms used in this section can be found at [apvma.gov.au/spraydrift](http://apvma.gov.au/spraydrift).

**DO NOT** allow bystanders to come into contact with the spray cloud.

**DO NOT** apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. The advisory buffer zones in the relevant buffer zone table/s below provide guidance but may not be sufficient in all situations. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

**DO NOT** apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application.

**DO NOT** apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings 1 to 2 hours before sunset and persist until 1 to 2 hours after sunrise.

DO NOT apply by a boom sprayer unless the following requirements are met:

- spray droplets not smaller than a **COARSE** spray droplet size category
- minimum distances between the application site and downwind sensitive areas (see 'Mandatory buffer zones' section of the following table titled 'Buffer zones for boom sprayers') are observed.

### Buffer zones for boom sprayers

Application rate	Mandatory downwind buffer zone			
	Boom height above the target canopy	Natural aquatic areas	Pollinator areas	Vegetation areas
Up to maximum permit rate	0.5 m or lower	5 metres	Not required	30 metres
	1.0 m or lower	30 metres	Not required	80 metres
250 mL/ha (240 g/L products) or 165 mL/ha (360 g/L products) or lower	0.5 m or lower	Not required	Not required	20 metres
	1.0 m or lower	15 metres	Not required	50 metres

DO NOT apply by aircraft unless the following requirements are met:

- spray droplets not smaller than a COARSE spray droplet size category

- for maximum release heights above the target canopy of 3 m or 25% of wingspan or 25% of rotor diameter whichever is the greatest, minimum distances between the application site and downwind sensitive areas (see 'Mandatory buffer zones' section of the following table titled 'Buffer zones for aircraft') are observed.

#### Buffer zones for aircraft

Type of aircraft	Natural aquatic areas	Pollinator areas	Vegetation areas
Fixed-wing	110 metres	Not required	275 metres
Helicopter	80 metres	Not required	180 metres

#### Directions for Use:

Crop	Pest	Rate
Linseed	Grass weeds as listed on the label, including Annual Ryegrass ( <i>Lolium rigidum</i> )	<u>240 g/L clethodim products:</u> 150-500 mL/ha  <u>360 g/L clethodim products:</u> 100-330 mL/ha

#### Critical Use Comments:

- Apply up to crop stage BBCH 39, when annual grass weeds are 2 leaf to fully tillered.
- Apply by ground boomspray, or aerially as a foliar application.
- Use a spray volume of at least 50 L/ha for ground application, and 20-30 L/ha for aerial application.
- Apply with DC Trate at 2 L/ha, Hasten at 1 L/ha, Kwickin at 1 L/100 L, or Uptake at 500 mL/100 L spray volume.
- DO NOT apply more than 1 application per crop.

#### Withholding Period:

Harvest: Not required when used as directed.

Grazing: Do not graze or cut for stock food for 21 days after application.

#### Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

#### Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the Agricultural and Veterinary Chemicals Code Act 1994, in accordance with the obligation imposed by that section.

#### To Avoid Crop Damage

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 11/09/2024 – Permit updated to increase upper rate of 360 g/L products. Spray drift restraints and s161 statement added. Permit expiry extended to 30/09/2029. Permit issued as Version 2.