

Australian Pesticides and Veterinary Medicines Authority

PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL

PRODUCT FOR CONTROL OF FUNGAL DISEASES IN NURSERY STOCK (NON-FOOD)

PERMIT NUMBER – PER92498

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 22 JUNE 2023 TO 30 JUNE 2026

Permit Holder: GREENLIFE INDUSTRY AUSTRALIA LIMITED C/o AgAware Consulting Pty Ltd 21 Rosella Avenue STRATHFIELDSAYE VIC 3551

Persons who can use the product under this permit:

Persons working in production nursery situations only.

CONDITIONS OF USE

Products to be used:

SPOREKILL AGRICULTURAL DISINFECTANT (APVMA No. 51141) PLUS OTHER REGISTERED PRODUCTS Containing: 120 g/L DIDECYL DIMETHYL AMMONIUM CHLORIDE as the only active constituent.

RESTRAINT:

DO NOT use on plants grown for human or animal consumption. DO NOT use in the home garden. DO NOT apply using equipment carried on the back of the user. DO NOT apply if heavy rains or storms are forecast within 3 days. DO NOT irrigate to the point of field runoff for at least 3 days after application.

Directions for Use:

Сгор	Disease	Rate
Nursery stock (Non-food): Seeds, seedlings, tubes & plugs, potted colour, trees and shrubs, foliage plants, palms, grasses, fruiting plants (non-bearing), cut flowers, ornamentals and plant cuttings.	Grey Mould (<i>Botrytis cinerea</i>) Root Rot (<i>Rhizoctonia spp</i> .) Damping Off (<i>Pythium spp</i> .)	<u>Seeds (pre-plant soak)</u> <u>3.3 mL / L</u> <u>Plant cuttings (dip treatment)</u> <u>4.4 mL / L</u> <u>Soil drench</u> <u>3.3 mL / L</u>

Critical Use Comments:

- SEEDS Soak seeds in solution for 5 minutes prior to sowing.
- CUTTINGS Dip cutting into solution for 5 minutes prior to sticking.
- SOIL DRENCH Apply as required, at minimum 5-7 day intervals between consecutive treatments.
- Refer to label instructions for safety directions, protections and disposal instructions.
- DO NOT enter treated areas or handle the treated material until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each days use.

Jurisdiction:

All States and Territories.

Protection of Wildlife, Fish, Crustaceans and Environment

Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.

DO NOT feed treated seed or otherwise expose to wild or domestic birds/mammals. Any spillages of treated seed, however minor, must be cleaned up immediately, preferably by recovery and re-use. If disposal is required, ensure treated seeds are thoroughly buried and not accessible to birds and other wildlife.

Disposal

Spent dips: Prior to disposal, deactivate the spent dip with bentonite clay or clay soil at a minimum ratio of 15 kg bentonite clay or clay soil per 100L. Dispose of flocculate DDAC/bentonite clay by evenly spreading over flat land in a disposal site dedicated for spent dips that is adequately bunded with soil to at least 15 cm high. Do not exceed the standard spent dip rate of 20,000 L/ha.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

To Avoid Crop Damage

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

Issued by the Australian Pesticides and Veterinary Medicines Authority