



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW SUPPLY AND EMERGENCY USE OF AN UNREGISTERED AGVET
CHEMICAL**

PRODUCT FOR CONTROL OF MICE IN CERTAIN CROPS AND PASTURE

PERMIT NUMBER – PER92988

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a Supplier (as indicated) to possess the product for the purposes of supply and to supply the product to a person who can use the product under permit. This permit also allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder, the Supplier (if not one and the same) and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 14 NOVEMBER 2022 TO 31 DECEMBER 2023

Permit Holder and Supplier:

IMTRADE AUSTRALIA PTY LTD
Suite 22, 11 Preston Street
COMO WA 6152

Persons who can use the product under this permit:

Persons authorised or licenced under the relevant state or territory poisons control for Schedule 7 Poisons.

CONDITIONS OF USE

Product to be used:

IMTRADE DEADMOUSE DOUBLE STRENGTH ZINC PHOSPHIDE BAIT

AN UNREGISTERED PRODUCT

Containing: 50 g/kg ZINC PHOSPHIDE as the only active constituent.

RESTRAINTS:

DO NOT apply bait to bare ground (including fallow where there is no vegetative cover).

DO NOT apply bait in a trail.

DO NOT apply to the outer 50 m of crop or within 50 m of native vegetation. A 50 m buffer zone in crops must be employed to reduce risk to birds and other non-target animals.

DO NOT apply bait unless monitoring of mouse numbers indicate the potential for crop damage of economic significance.

DO NOT apply if heavy rain is imminent.

Directions for Use:

Crop	Pest	Rate
Grain crops, legume crops, canola, safflower, nut crops and pasture. (Note: for all situations only a post-emergent treatment, stubble of harvested crop prior to sowing seed, or when seed have been sown into crop stubble or other similar ground cover).	Mice <i>(Mus musculus)</i>	1 kg/ha to achieve an even coverage of 2 - 3 grains or pellets/m ²

Critical Use Comments:

- DO NOT apply unless mice populations reach a threshold where severe damage is being caused to crops.
- Apply using ground or aerial equipment according to the label directions.
- APPLY ONLY at night or early evening to minimise non-target primary consumption and maximise bait consumption by mice.
- Ensure that there is adequate ground cover (e.g., crop stubble, crop, pasture etc) to minimise primary bait consumption.
- Apply application evenly across the treatment area. DO NOT leave piles of bait in treatment area as this will increase opportunistic feeding by non-target birds, kangaroo, wallabies, livestock etc.
- Users need to consider and familiarise themselves with baiting strategies to ensure greater success for treatment site (e.g., co-ordinated bait timing with neighbours, bait adjacent areas etc.). Refer to GRDC '[Tips and Tactics Better Mouse Management](#)' or similar relevant document from state department of Agriculture.
- Eliminate as far as practicable all alternative food sources to increase bait desirability and consumption at treatment site.
- Repeat treatments will likely be required when high populations are observed. Continue to monitor sites with bait cards to determine population size and if re-treatment is required.
- For all other directions, refer to the label at **Attachment 1**.

Additional conditions from 1 January 2023:

- DO NOT apply bait unless pre-baiting monitoring indicates the presence of plague level mouse populations. Monitoring techniques to determine plague level mouse populations include chew cards (>20 squares per card eaten) and active burrow counts (>5 mouse holes/100 m²).
- DO NOT apply if non-target animals are found feeding during the pre-baiting period. Treatment areas must be closely monitored for the presence of non-target species before baiting. Non-target species observed to be feeding in the proposed treatment area must be recorded.
- The user must complete documentation declaring:
 - the presence of plague level mouse populations in the area to be treated,
 - proposed treatment areas were monitored for non-target species,
 - the date, time and locations of treatments will be recorded,
 - an estimate of the bait remaining the morning after treatment (e.g. grains/m²) will be recorded,
 - treated areas will be monitored and any adverse effects to non-target species will be recorded.
- The supplier must not supply the product to a user unless the user provides the above documentation.
- Documentation collected by the supplier must be provided to the permit holder within 3 months of receipt.

Withholding Period:

Harvest: Do not harvest for 14 days after application.

Grazing: Do not graze or cut for stock food for 14 days after application.

Jurisdiction:

All States and Territories.

Safety Directions for Loading Bait for Aerial Application:

When opening container and loading the bait, wear elbow-length PVC gloves and full-face piece respirator with combined dust and gas cartridge (or supplied air respirator).

Protection of Wildlife, Fish, Crustaceans and Environment:

Toxic to native wildlife and birds. DO NOT use on sites where vulnerable, threatened, endangered or critically endangered mammals or birds are known to occur.

Any incidents where it is suspected that non-target animals may have been poisoned should be reported to State or Territory authorities and the APVMA Adverse Experience Reporting Program.

Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.

Disposal:

To the extent possible, animal carcasses should be recovered during and for 14 days after a baiting campaign and be destroyed by burning or burial according to the requirements of the State or Territory in which use has occurred.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label at **Attachment 1**.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the Agricultural and Veterinary Chemicals Code Act 1994, in accordance with the obligation imposed by that section.

Supply

The supplier must supply the product in a container that complies with the requirements of section 18 of the Agricultural and Veterinary Chemicals Code Regulations. Attached to this container must be a label which is identical in content and format to the label at **Attachment 1**.

Record keeping

Users must maintain records of all treatments performed under this permit. Details must include the date, time and locations where treatments occurred, the total amount of product used, and the names and addresses of the persons undertaking the use. These details must be maintained for a minimum period of two years from the date of expiry of this permit, and must be made available to the holder and APVMA upon request.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 20/12/2022 – Permit updated to add additional critical use conditions. Permit expiry extended to 31/12/2023. Permit issued as Version 2.

DANGEROUS POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



IMTRADE

DEADMOUSE

DOUBLE STRENGTH
ZINC PHOSPHIDE BAIT

ACTIVE CONSTITUENT: 50g/kg ZINC PHOSPHIDE



For the control of heavy infestations of mice in agricultural situations.

THIS PRODUCT IS NOT TO BE AVAILABLE EXCEPT TO PERSONS AUTHORISED OR
LICENSED UNDER THE RELEVANT STATE OR TERRITORY POISONS CONTROLS FOR
SCHEDULE 7 POISONS.

IMPORTANT: READ THIS LABEL THOROUGHLY BEFORE OPENING
OR USING THIS PRODUCT

**FOR USE ONLY UNDER EMERGENCY
PERMIT NO. PER92988**



17 Ocean St, Kwinana Beach WA 6167
(08) 9419 0333
www.imtrade.com.au

Attachment 1

DIRECTIONS FOR USE

RESTRAINTS

DO NOT apply bait to bare ground (including fallow where there is no vegetative cover).

DO NOT apply bait in a trail.

DO NOT apply bait if heavy rain is imminent.

DO NOT apply to the outer 50m of crop or within 50m of native vegetation. A 50m buffer zone in crop must be employed to reduce risk to birds and other non-target animals.

DO NOT apply bait unless monitoring of mouse numbers indicate the potential for crop damage of economic significance.

Situation	Pests	Rate	Critical Comments
<p>Grain crops, Legume crops, Canola, Safflower, Nut crops and Pasture.</p> <p>(Note: for all situations – only as a post emergent treatment, stubble of harvested crop prior to sowing seed, or when seed have been sown into crop stubble or other similar ground cover).</p>	Mice	1kg/ha to achieve an even coverage of 2-3 grains/m ²	<p>Bait is only to be applied by aerial application or accurately calibrated ground application equipment to achieve 2-3 grains/m².</p> <p>It is imperative that all attempts are made to apply bait as evenly as possible to maximise product efficacy and minimise risks to non-target animals.</p> <p>Imtrade DeadMouse Zinc Phosphide Bait will provide a high level of control in most situations. However, in areas of extremely high mice densities or areas with significant amounts of alternative feed, sufficient mice may remain to cause damage to crops after treatment. Re-treatment after 14 days may therefore be required in certain circumstances.</p> <p>It is recommended that pre-treatment estimations of the severity of the mouse problem are performed before applying bait and that post-baiting estimates are conducted to assess the effectiveness of the control operation. For information on the most effective methods for monitoring of mouse populations please contact the government department in your state responsible for vertebrate pest control.</p> <p>Bait may retain activity for several days after light rain or in damp conditions, and light showers can be tolerated. Maximum performance will however be expected under dry conditions.</p>

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

THIS PRODUCT IS TOO HAZARDOUS FOR USE IN THE HOME GARDEN. DO NOT USE THIS PRODUCT IN THE HOME GARDEN.

WITHHOLDING PERIOD

DO NOT HARVEST ANY CROPS OR ALLOW LIVESTOCK TO GRAZE BAITED AREAS FOR 14 DAYS AFTER APPLICATION.

PROTECTION OF WILDLIFE, LIVESTOCK AND THE ENVIRONMENT

Bait should be distributed to minimise exposure to non-target wildlife, especially birds and livestock. It is preferable to place baits late in the day when birds have finished feeding. Particular care should be taken when baits are applied near native vegetation using aircraft as high bait concentrations may occur on the ground beneath aircraft that need to climb steeply. Spilt bait must be collected immediately and applied according to label directions or buried below one metre.

Attachment 1

STORAGE AND DISPOSAL

The contents of each container should be used within 3 months of opening. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Store in a locked room away from children, animals, food, feedstuffs, seed and fertilisers. Store away from acids, water and any sources of heat or ignition.

Dispose of used containers by crushing and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging one meter below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, State or Territory government regulations. Excess or unused baits must be buried below one metre. Empty containers and product must not be burnt.

SAFETY DIRECTIONS

Poisonous if swallowed. Releases dangerous phosphine gas slowly in moist air and immediately if wet. **DO NOT** inhale vapour. Avoid contact with eyes and skin. Keep away from water and liquids. Keep away from naked flames – forms toxic gas. When opening the container and using baits, wear elbow-length PVC gloves and a full face respirator with combined dust and gas cartridge or supplied air respirator. Wash hands after use. After each days use wash gloves and respirator and if rubber wash with detergent and warm water.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). **DO NOT** give direct mouth-to-mouth resuscitation if swallowed. To protect rescuer, use air-viva, oxy-viva or one-way mask. Resuscitate in a well-ventilated area.

Additional GHS Hazard & Precautionary Statements

•In contact with water releases flammable gases which may ignite spontaneously; •Very toxic to aquatic life with long lasting effects; •DO NOT eat, drink or smoke when using this product; •IF SWALLOWED: Rinse mouth. Do NOT induce vomiting; •If exposed or if you feel unwell: Call a POISON CENTER or doctor/physician; •Collect spillage; •Not combustible. Use extinguishing media suited to burning materials (NOT WATER).

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

In a Transport Emergency
Dial 000
Police or Fire Brigade