



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL  
PRODUCT FOR CONTROL OF DECLARED PLANTS IN WESTERN AUSTRALIA**

**PERMIT NUMBER – PER93063**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 26 MAY 2023 TO 31 MAY 2028**

**Permit Holder:**

DEPARTMENT OF PRIMARY INDUSTRIES & REGIONAL DEVELOPMENT  
3 Baron-Hay Court  
SOUTH PERTH WA 6151

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### **Products to be used:**

NUFARM AMITROLE T HERBICIDE (APVMA No. 31236)

PLUS OTHER REGISTERED PRODUCTS

Containing: 250 g/L AMITROLE and 220 g/L AMMONIUM THIOCYANATE as the only active constituents.

JAGUAR SELECTIVE HERBICIDE (APVMA No. 40383)

PLUS OTHER REGISTERED PRODUCTS

Containing: 25 g/L DIFLUFENICAN and 250 g/L BROMOXYNIL PRESENT AS THE OCTANOATE as the only active constituents.

NUFARM BROMICIDE MA SELECTIVE HERBICIDE (APVMA No. 31464)

PLUS OTHER REGISTERED PRODUCTS

Containing: 200 g/L BROMOXYNIL PRESENT AS THE N-OCTANOYL ESTER and 200 g/L MCPA PRESENT AS THE ETHYL HEXYL ESTER as the only active constituents.

4FARMERS CHLORSULFURON 750 WDG WATER DISPERSIBLE GRANULES (APVMA No. 49836)

PLUS OTHER REGISTERED PRODUCTS

Containing: 750 g/kg CHLORSULFURON as the only active constituent.

BLADEX 900 WG HERBICIDE (APVMA No. 57850)

PLUS OTHER REGISTERED PRODUCTS

Containing: 900 g/kg CYANAZINE as the only active constituent.

CASORON G HERBICIDE (APVMA No. 54240)

PLUS OTHER REGISTERED PRODUCTS

Containing: 67.5 g/kg DICHLOBENIL as the only active constituent.

CASORON 4G HERBICIDE (APVMA No. 69139)

PLUS OTHER REGISTERED PRODUCTS

Containing: 40 g/kg DICHLOBENIL as the only active constituent.

### **RESTRAINT:**

Follow all restraints on the product label.

### **Spray Drift Restraints:**

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application.

DO NOT apply if there are surface temperature inversion conditions present at the application site during the time of application. These conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.

**Directions for Use:**

Crop	Pest	Rate
Crop and non-crop areas as specified for WA on the approved label.	Control of declared plants as specified under the <i>Agriculture and Related Resources Protection Act 1976</i> .  <b>See Attachment 1.</b>	Apply up to maximum registered label rates specific to each crop or non-crop areas, and in accordance with Department of Primary Industries and Regional Development WA advice for control of Declared Plants.

**Critical Use Comments:**

- Apply as per the registered product labels and in accordance with Department of Primary Industries and Regional Development WA advice for control of Declared Plants only.
- In crop areas, apply up to the maximum label rate for the crop on the label.
- In non-crop areas, apply up to the maximum label rate for the situation on the label.
- DO NOT apply in crop or non-crop situations other than those specified on the product label.
- DO NOT exceed maximum label rates, number of applications, or retreatment intervals specific for the crop/situation of use on the registered product label.
- DO NOT apply more than 1 application per year, unless otherwise specified on the product label.
- A list of declared plants is included in **Attachment 1**. Information on the declared plants and recommended control methods can be found at <https://www.agric.wa.gov.au/declared-plants/declared-plant-control-table>.

**Withholding Period:**

Follow withholding periods on the product label specific to each crop or non-crop situation.

**Jurisdiction:**

WA only.

**Additional Conditions:**

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

Issued by the Australian Pesticides and Veterinary Medicines Authority

**Attachment 1:** List of Declared Plants

<b>Plant</b>	<b>Category</b>
Acacias ( <i>Acacia</i> species) all non-natives except <i>Acacia farnesiana</i>	Eradication statewide.
African Rue ( <i>Peganum harmala</i> )	Eradication statewide.
African Thistle ( <i>Berkheya rigida</i> )	Eradication statewide.
Alligator Weed ( <i>Alternanthera philoxeroides</i> )	Eradication statewide.
Apple of Sodom ( <i>Solanum linnaeanum</i> )	Eradication in Albany region through to prevention of spread in SW shires.
Aquarium Plants	No movement of plant parts except from accredited suppliers.
Arrowhead ( <i>Sagittaria montevidensis</i> )	Eradication statewide.
Artichoke Thistle ( <i>Cynara cardunculus</i> )	Eradication statewide.
Arum lily ( <i>Zantedeschia aethiopica</i> )	Prevention of spread in 20 SW shires.
Bathurst Burr ( <i>Xanthium spinosum</i> )	Control in Kalgoorlie & Coolgardie, eradication elsewhere.
Bellyache Bush ( <i>Jatropha gossypifolia</i> )	Control in Broome & Derby-West Kimberley.
Blackberry ( <i>Rubus fruticosus</i> agg.)	Eradication in Boddington, control in 21 SW shires.
Boneseed ( <i>Chrysanthemoides monilifera</i> )	Control on government land.
Broomrape <i>Orobanche</i> species except <i>O. minor</i>	Eradication statewide.
Calomba ( <i>Calomba caroliniana</i> )	Eradication statewide.
Calotropis ( <i>Calotropis procera</i> )	Eradication in Ashburton, East Pilbara, Port Hedland and Roebourne. No movement of plant parts in most shires north of 26°N.
Camel thorn ( <i>Alhagi maurorum</i> )	Eradication statewide.
Canadian Pond Weed ( <i>Eloдея canadensis</i> )	Eradication statewide.
Candle Bush ( <i>Senna alata</i> )	Eradication statewide excluding townsites.
Cape Tulip, One-leaved ( <i>Moraea flaccida</i> ) and Cape Tulip, Two-Leaved ( <i>Moraea miniata</i> )	No movement of plant parts statewide. Control Denmark, Kent and most of Cranbrook. Containment in 40 agricultural region shires.
Chinee Apple ( <i>Ziziphus mauritiana</i> )	Eradication statewide.
Cleavers ( <i>Galium aparine</i> )	Eradication statewide.
Cotton Bush, Narrowleaf ( <i>Gomphocarpus fruticosus</i> )	Control in 10 ag region shires. Containment in 48 ag region shires.
Creeping Knapweed ( <i>Acroptilon repens</i> )	Eradication statewide.
Devil's Claw, Small Fruit ( <i>Martynia annua</i> ) and Devil's Claw, Purple-flowered ( <i>Proboscidea louisianica</i> )	Eradication statewide.
Doublegee ( <i>Emex australis</i> and <i>Emex spinosa</i> )	No movement of plant parts in 27 ag region shires. Control in Broomehill, Kojonup and West Arthur. Containment in Jerramungup, Kent and Ravensthorpe. Control on public land in Esperance, Gnowangerup, Kondinin, Kulin and Lake Grace.
Field Bindweed ( <i>Convolvulus arvensis</i> )	No movement of plant parts statewide. Control in Esperance.
Glaucous Star Thistle ( <i>Carthamus leucocaulos</i> )	Control in Gnowangerup and Tambellup. Containment in Broomehill, Dumbleyung, Katanning, Kojonup, Wagin, West Arthur and Woodanilling.
Golden Dodder ( <i>Cuscuta campestris</i> )	Control in Albany, Cranbrook, Denmark and Plantagenet. Eradication elsewhere.

**Attachment 1:** List of Declared Plants

Gorse ( <i>Ulex europaeus</i> )	Control in Albany, Cranbrook, Denmark and Plantagenet. Eradication elsewhere.
Harrisia Cactus ( <i>Eriocereus martinii</i> )	Eradication in Port Hedland, East Pilbara Roebourne and Ashburton.
Heliotrope ( <i>Heliotropium europaeum</i> )	Control in 19 SW shires. Containment in Wagin, Dumbleyung, Katanning and Tambellup.
Hoary Cress ( <i>Cardaria draba</i> )	Eradication statewide.
Horehound ( <i>Marrubium vulgare</i> )	Eradication in 34 ag and pastoral region shires. Control in Plantagenet. Containment in 7 ag and pastoral region shires.
Horsetails ( <i>Equisetum</i> species)	Eradication statewide.
Hydrocotyle ( <i>Hydrocotyle ranunculoides</i> )	Eradication statewide.
Ivy Gourd ( <i>Coccinia grandis</i> )	Eradication statewide.
Jointed Goatgrass ( <i>Aegilops cylindrica</i> )	Eradication statewide.
Kochia ( <i>Bassia scoparia</i> )	Eradication statewide.
Lagarosiphon ( <i>Lagarosiphon</i> species)	Eradication statewide.
Leafy Elodea ( <i>Egeria densa</i> )	Eradication statewide.
Mesquite ( <i>Prosopis</i> species)	Control on parts of Mardie station. Eradication elsewhere.
Mexican Poppy ( <i>Argemone mexicana</i> and <i>Argemone ochroleuca</i> )	No movement of plant parts statewide except Ashburton, East Pilbara, Port Hedland and Roebourne. Eradication on 104 urban, ag and pastoral region shires. Control on 21 wheatbelt shires. Containment on 14 pastoral region shires.
Mintweed ( <i>Salvia reflexa</i> )	Eradication in Coolgardie, Kalgoorlie, Leonora, Laverton Menzies, Sandstone, Willuna and Dundas.
Nodding Thistle ( <i>Carduus nutans</i> )	Eradication statewide.
Noogoora Burr ( <i>Xanthium strumarium</i> )	No movement of plant parts statewide. Containment in Broome Derby-West Kimberley, Halls Creek and Wyndham-East Kimberley. Eradication elsewhere.
Parkinsonia ( <i>Parkinsonia aculeata</i> )	Eradication in 22 pastoral shires. Containment in Broome, Derby-West Kimberley, Halls Creek and Wyndham-East Kimberley.
Parrot's Feather ( <i>Myriophyllum aquaticum</i> )	Eradication statewide.
Parthenium Weed ( <i>Parthenium hysterophorus</i> )	Eradication statewide.
Paterson's Curse ( <i>Echium plantagineum</i> )	No movement of plant parts statewide. Control in 30 ag region shires. Containment in 29 ag region shires and parts of Carnamah.
Penny Cress ( <i>Thlaspi arvense</i> )	Eradication statewide.
Perennial Thistle ( <i>Cirsium arvense</i> )	Eradication statewide.
Physic Nut ( <i>Jatropha curcas</i> )	No movement of plant parts statewide. Control on govt land in Broome, Derby-West Kimberley, Halls Creek and Wyndham-East Kimberley.
Prickly Pear ( <i>Opuntia</i> species)	Control in Exmouth, Carnarvon, Murchison, Upper Gascoyne and Shark Bay. Eradication elsewhere north of 26°N.

**Attachment 1:** List of Declared Plants

Ragwort ( <i>Senecio jacobaea</i> )	Eradication statewide.
Rubber Vine ( <i>Cryptostegia grandiflora</i> and <i>Cryptostegia madagascariensis</i> )	Eradication statewide.
Saffron Thistle ( <i>Carthamus lanatus</i> )	No movement of plant parts statewide. Control in 35 ag region shires. Containment in 63 ag and pastoral region shires.
Sagittaria ( <i>Sagittaria platyphylla</i> )	Eradication statewide.
Salvinia ( <i>Salvinia molesta</i> )	Eradication statewide.
Senegal Tea ( <i>Gymnocoronis spilanthoides</i> )	Eradication statewide.
Sensitive Plant, Common ( <i>Mimosa pudica</i> )	Eradication in 26 pastoral region shires.
Sensitive Plant, Giant ( <i>Mimosa invisa</i> )	Eradication statewide.
Sensitive Plant, Giant ( <i>Mimosa pigra</i> )	Eradication statewide.
Shield Pennywort ( <i>Hydrocotyle verticillata</i> )	Eradication statewide.
Siam Weed ( <i>Chromolaena odorata</i> )	Eradication statewide.
Sicklepod ( <i>Senna tora</i> )	Eradication statewide.
Sicklepod, Java bean ( <i>Senna obtusifolia</i> )	Eradication statewide.
Sida ( <i>Sida acuta</i> and <i>Sida cordifolia</i> )	No movement of plant parts north of 26°N.
Skeleton Weed ( <i>Chondrilla juncea</i> )	Eradication statewide.
St. John's Wort ( <i>Hypericum perforatum</i> )	Eradication statewide except 48 ag region shires.
Stemless Thistle ( <i>Onopordum acaulon</i> )	Eradication in 29 ag region shires. Control in 12 wheatbelt shires. Containment in Esperance.
Thornapple, Common ( <i>Datura stramonium</i> ), Thornapple, Fierce ( <i>Datura ferox</i> ), Thornapple, Leichhardt's or Mexican ( <i>Datura leichhardtii</i> ), Thornapple, Hairy ( <i>Datura wrightii</i> ), Thornapple, Downy ( <i>Datura innoxia</i> ) and Thornapple ( <i>Datura metel</i> )	No movement of plant parts except in 8 pastoral region shires. Control in 28 ag region shires. Containment in 60 ag and pastoral region shires.
Three-horned Bedstraw ( <i>Galium tricornutum</i> )	Eradication statewide.
Tutsan ( <i>Hypericum androsaemum</i> )	Eradication statewide.
Tutsan, Flair ( <i>Hypericum x inodorum</i> )	Eradication statewide unless cultivation permit granted.
Variegated Thistle ( <i>Silybum marianum</i> )	No movement of plant parts statewide. Control 18 ag region shires. Containment in Albany, Bridgetown, Dardanup, Denmark, Donnybrook-Balingup, Manjimup and Plantagenet.
Water Hyacinth ( <i>Eichhornia crassipes</i> )	Eradication statewide.
Water Lettuce ( <i>Pistia stratiotes</i> )	Eradication statewide.
Yellow Burrweed ( <i>Amsinckia</i> species)	Eradication statewide.