



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF BLUEGREEN APHID AND GREEN PEACH APHID IN
LENTILS**

PERMIT NUMBER – PER95202

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 19 MAY 2025 TO 31 MAY 2027

Permit Holder:

GRAIN PRODUCERS AUSTRALIA LIMITED
12 Cooma Road
BRAIDWOOD NSW 2622

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

MOVENTO 240 SC INSECTICIDE (APVMA No. 61864)

PLUS OTHER REGISTERED PRODUCTS

Containing: 240 g/L SPIROTETRAMAT as the only active constituent.

RESTRAINTS:

DO NOT apply by aerial application.

SPRAY DRIFT RESTRAINT:

Specific definitions for terms used in this section can be found at apvma.gov.au/spraydrift.

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops,

landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities,

outside the application site from spray drift. Wherever possible, correctly use application equipment designed to

reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the wind speed is between three and 20 kilometres per hour at the application site during the time of application.

DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site

during the time of application. Surface temperature inversion conditions exist most evenings one to two hours

before sunset and persist until one to two hours after sunrise.

Boom sprayers

DO NOT apply by a boom sprayer unless the following requirements are met:

- Spray droplets are not smaller than a MEDIUM spray droplet size category.
- Minimum distances between the application site and downwind sensitive areas are observed (see 'Mandatory downwind buffer zones' section of the following table titled 'Buffer zones for boom sprayers').

Buffer zones for boom sprayers

Application rate	Boom height above target canopy	Mandatory downwind buffer zones				
		Bystander areas	Natural aquatic areas	Pollinator areas	Vegetation areas	Livestock areas
Up to 400 mL/ha	0.5 m or lower	0 m	0 m	0 m	0 m	0 m
	1.0 m or lower	0 m	0 m	0 m	0 m	10 m

Directions for Use:

Crop	Pest	Rate
Lentils	Bluegreen aphid (<i>Acyrtosiphon kondoi</i>)	200 mL / ha + adjuvant

	Green peach aphid (<i>Myzus persicae</i>)	
--	--	--

Critical Use Comments:

- Apply once local pest thresholds are reached.
- Apply as a foliar spray by ground based boomspray.
- Apply in sufficient water to achieve adequate coverage of the plants.
- DO NOT apply more than 2 applications per crop.
- DO NOT apply less than 7 days after the initial treatment.
- Apply with a specified spray adjuvant – refer to “Adjuvant” section in the product label.

Withholding Period:

Harvest: Do not harvest for 14 days after application.

Grazing: Do not graze or cut for stock food for 14 days after application.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Protection of Wildlife, Fish, Crustaceans and Environment:

Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.

Protection of Crops, Native and Other Non-Target Plants:

Application of the products to crops/plants other than those specified on this label may cause symptoms of phytotoxicity.

Caution: Phytotoxic symptoms have occasionally been observed when the products are applied to crops in protected cropping environments. This may be exacerbated when applied in tank mixtures.

DO NOT apply under weather conditions or from spraying equipment that may cause spray to drift onto nearby crops/plants, cropping lands or pastures.

Protection of Honey Bees and Other Insect Pollinators:

Spirotetramat has systemic action. However, the use of this product as directed is not expected to have adverse effects on bees.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

Export of treated produce

Temporary Maximum Residue Limits (TMRLs) have been established to allow treated produce to be used for human and/or animal consumption. An MRL has been established for SPIROTETRAMAT in LENTIL (DRY). MRLs can be found in the *Agricultural and Veterinary Chemicals (MRL Standard for Residues of Chemical Products) Instrument 2023*.

MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority